

COOCAA

2024-2025

Spring / Summer Collection



2024-2025 EDITION

REFRIGERATORS
FREEZERS
SHOW CASE
WASHING MACHINES
DISH WASHERS



SBS-558WP

Climate:	N-T
Energy Class:	E
Capacity:	541L(R:343 ,F:198)
Product (W×D×H)(mm):	913×670×1785
40" HC Container:	47



SBS-450WP

Climate:	N-T
Energy Class:	F
Capacity:	427L(R:254 ,F:173)
Product (W×D×H)(mm):	836×620×1800
40" HC Container:	56



SBS-558WPD

Climate:	N-T
Energy Class:	E
Capacity:	534L(R:340 ,F:194)
Product (W×D×H)(mm):	913×670×1785
40" HC Container:	47



SBS-501 WP

Climate:	N-T
Energy Class:	E/F
Capacity:	473L(R:275,F:198)
Product (W×D×H)(mm):	833×670×1785
40" HC Container:	50



SBS-408WP

Climate:	N-T
Energy Class:	F
Capacity:	400L(R:232,F:168)
Product (W×D×H)(mm):	836×610×1712
40" HC Container:	63



SBS-450WPD

Climate:	N-T
Energy Class:	F
Capacity:	425L(R:252,F:173)
Product (W×D×H)(mm):	836×620×1800
40" HC Container:	56



SRM-506WP

Climate:	N-T
Energy Class:	F
Capacity:	506L(R:344,F:162)
Product (W×D×H)(mm):	833×660×1890
40" HC Container:	51

ELEGANTFIT SERIES



SRM-491WP

Climate:	N-T
Energy Class:	E
Capacity:	491L(R:329 ,F:162)
Product (W×D×H)(mm):	835×600×1920
40" HC Container:	57

ELEGANTFIT SERIES



SRM-427WP

Climate:	N-T
Energy Class:	E
Capacity:	427L(R:291 ,F:136)
Product (W×D×H)(mm):	755×600×1920
40" HC Container:	64



SRT-503WP

Climate:	N-T
Energy Class:	F
Capacity:	480L(R:308 ,F:172)
Product (W×D×H)(mm):	833×690×1890
40" HC Container:	38

ELEGANTFIT SERIES



SRM-476WP

Climate:	N-T
Energy Class:	E
Capacity:	476L(R:323,F:153)
Product (W×D×H)(mm):	835×600×1920
40" HC Container:	57

ELEGANTFIT SERIES



SRM-425WP

Climate:	N-T
Energy Class:	E
Capacity:	425L(R:291 ,F:134)
Product (W×D×H)(mm):	755×600×1920
40" HC Container:	64



SRM-405WP

Climate: N-T
Energy Class: F
Capacity: 405L(R:272,F:133)
Product (W×D×H)(mm): 753×658×1818
40" HC Container: 60



SRD-489CBE (Glass Door Optional)
(Smart Inverter Optional)

Climate: N-T
Energy Class: D/E
Capacity: 344L(R:235,F:109)
Product (W×D×H)(mm): 600×658×1950
40" HC Container: 71



SRD-358DB

Climate: N-T
Energy Class: D/E
Capacity: 268L(R:197,F:71)
Product (W×D×H)(mm): 550×586×1780
40" HC Container: 101



SRD-338DB

Climate: N-T
Energy Class: F
Capacity: 258L(R:165,F:93)
Product (W×D×H)(mm): 550×586×1780
40" HC Container: 101



SRD-328DB

Climate: N-T
Energy Class: /
Capacity: 251L(R:134,F:117)
Product (W×D×H)(mm): 550×586×1780
40" HC Container: 101



SRD-412CBE (Glass Door Optional)
(Smart Inverter Optional)

Climate: N-T
Energy Class: D/E
Capacity: 320L(R:211,F:109)
Product (W×D×H)(mm): 600×658×1850
40" HC Container: 72



SRD-412CBE1 (Smart Inverter Optional)

Climate: N-T
Energy Class: E
Capacity: 327L(R:218,F:109)
Product (W×D×H)(mm): 600×658×1850
40" HC Container: 72



SRD-355CB (Glass Door Optional)

Climate: N-T
Energy Class: E
Capacity: 290L(R:201,F:89)
Product (W×D×H)(mm): 595×600×1850
40" HC Container: 75



SRD-230DB

Climate: N-T
Energy Class: E
Capacity: 170L(R:120,F:50)
Product (W×D×H)(mm): 444×536×1518
40" HC Container: 170



SRD-216DB

Climate: N-T
Energy Class: E
Capacity: 161L(R:120,F:41)
Product (W×D×H)(mm): 444×536×1443
40" HC Container: 171



SRD-412CBED

Climate: N-T
Energy Class: E
Capacity: 320L(R:211,F:109)
Product (W×D×H)(mm): 600×658×1850
40" HC Container: 72



SRD-355CBI (Glass Door Optional)

Climate: N-T
Energy Class: F
Capacity: 290L(R:201,F:89)
Product (W×D×H)(mm): 595×600×1850
40" HC Container: 75



SRD-341WBP1EE

Climate: N-T
Energy Class: E
Capacity: 264L(R:191,F:73)
Product (W×D×H)(mm): 550×600×1789
40" HC Container: 101



SRD-405DB

Climate: N-T
Energy Class: E
Capacity: 296L(R:194,F:102)
Product (W×D×H)(mm): 600×600×1850
40" HC Container: 75



SRD-412CBE1D

Climate: N-T
Energy Class: E
Capacity: 327L(R:218,F:109)
Product (W×D×H)(mm): 600×658×1850
40" HC Container: 72



SRD-405DBD

Climate: N-T
Energy Class: E
Capacity: 296L(R:194,F:102)
Product (W×D×H)(mm): 600×600×1850
40" HC Container: 75



SRD-358DBD

Climate: N-T
Energy Class: D/E
Capacity: 268L(R:197,F:71)
Product (W×D×H)(mm): 550×586×1780
40" HC Container: 101



Available Colours:



SRD-685WTP (Smart Inverter Optional)

Climate: N-T
Energy Class: E
Capacity: 535L(R:419,F:116)
Product (W×D×H)(mm): 750×700×1830
40" HC C ontainer: 66



Available Colours:



SRD-645WTP (Smart Inverter Optional)

Climate: N-T
Energy Class: E
Capacity: 504L(R:388,F:116)
Product (W×D×H)(mm): 750×700×1750
40" HC C ontainer: 67



Available Colours:

SRD-495WTP (Smart Inverter Optional)

Climate: N-T
Energy Class: E
Capacity: 410L(R:313,F:97)
Product (W×D×H)(mm): 724×678×1750
40" HC Container: 67



Available Colours:

SRD-330DT

Climate: N-T
Energy Class: /
Capacity: 251L(R:178,F:73)
Product (W×D×H)(mm): 550×570×1660
40" HC Container: 107



Available Colours:

SRD-275DT

Climate: N-T
Energy Class: E
Capacity: 210L(R:168,F:42)
Product (W×D×H)(mm): 550×550×1430
40" HC Container: 144



Available Colours:



SRD-220DT

Climate: N-T
Energy Class: E
Capacity: 157L(R:117,F:40)
Product (W×D×H)(mm): 444×496×1478
40" HC Container: 170



Available Colours:

SRD-420WTAP (Smart Inverter Optional)

Climate: N-T
Energy Class: /
Capacity: 338L(R:259,F:79)
Product (W×D×H)(mm): 595×644×1664
40" HC Container: 74



Available Colours:

SRD-360WTG (Glass Door)

Climate: N-T
Energy Class: /
Capacity: 275L(R:196,F:79)
Product (W×D×H)(mm): 600×668×1520
40" HC Container: 79



Available Colours:

SRD-325WTP (Smart Inverter Optional)

Climate: N-T
Energy Class: /
Capacity: 280L(R:218,F:62)
Product (W×D×H)(mm): 554×588×1670
40" HC Container: 104



Available Colours:

SRD-265WTP (Smart Inverter Optional)

Climate: N-T
Energy Class: /
Capacity: 220L(R:158,F:62)
Product (W×D×H)(mm): 554×588×1445
40" HC Container: 128



(Glass door optional)

Available Colours:



SRD-495WTPD (Smart Inverter Optional)

Climate: N-T
Energy Class: E
Capacity: 397L(R:304,F:93)
Product (W×D×H)(mm): 724×678×1750
40" HC C ontainer: 67





Available Colours



FULL BUILT-IN
SRS-357WPa (Convertible Inverter Freezer)

Climate: N-T
Energy Class: E
Capacity: 275L(R./F:275)
Product (W×D×H)(mm): 545×560×1850
40° HC Container: 78



Available Colours



SRS-262WBPIEE

Climate: N-T
Energy Class: E
Capacity: 205L(R./F:205)
Product (W×D×H)(mm): 550×600×1710
40° HC Container: 102



Available Colours

SRS-180CBP (Convertible Inverter Freezer)

Climate: N-T
Energy Class: F
Capacity: 142L(R./F:142)
Product (W×D×H)(mm): 470×608×1295
40° HC Container: 164



Available Colours



SRS-226DB (Smart Inverter Optional)

Climate: N-T
Energy Class: D/E
Capacity: 165L(R./F:165)
Product (W×D×H)(mm): 554×549×1432
40° HC Container: 144



Available Colours

SRS-225DT

Climate: N-T
Energy Class: F
Capacity: 183L(R:161,F:22)
Product (W×D×H)(mm): 520×553×1275
40° HC Container: 168



Available Colours



SRS-120DT

Climate: N-T
Energy Class: E
Capacity: 83L(R:83,F:0)
Product (W×D×H)(mm): 444×456×850
40° HC Container: 370



Available Colours

BD-500 (Convertible Fridge&Freezer Optional)

Climate: ST/T
Energy Class: /
Capacity: 392L(R./F:392)
Product (W×D×H)(mm): 1335×715×830
40° HC Container: 75



Available Colours

BD-400 (Convertible Fridge&Freezer Optional)

Climate: ST/T
Energy Class: /
Capacity: 345L(R./F:345)
Product (W×D×H)(mm): 1130×715×830
40° HC Container: 96



Available Colours

BD-320 (Convertible Fridge&Freezer Optional)

Climate: N-T
Energy Class: F
Capacity: 264L(R./F:264)
Product (W×D×H)(mm): 1130×600×830
40° HC Container: 114



Available Colours

BD-300A (Convertible Fridge&Freezer Optional)

Climate: ST/T
Energy Class: E
Capacity: 244L(R./F:244)
Product (W×D×H)(mm): 1010×563×845
40° HC Container: 136



Available Colours

BD-218A (Convertible Fridge&Freezer Optional)

Climate: ST/T
Energy Class: E
Capacity: 195L(R./F:195)
Product (W×D×H)(mm): 845×563×845
40° HC Container: 162



Available Colours

BD-170A (Convertible Fridge&Freezer Optional)

Climate: ST/T
Energy Class: E
Capacity: 142L(R./F:142)
Product (W×D×H)(mm): 635×563×845
40° HC Container: 215



Available Colours

BD-110A (Convertible Fridge&Freezer Optional)

Climate: ST/T
Energy Class: E
Capacity: 92L(R./F:92)
Product (W×D×H)(mm): 470×563×845
40° HC Container: 287



Available Colours

BD-82

Climate: ST/T
Energy Class: E
Capacity: 63L(R./F:63)
Product (W×D×H)(mm): 470×563×845
40° HC Container: 287



Available handles

NO.1



NO.2



NO.3



NO.4



NO.5




NO.6




Available control panels


NO.1




NO.3




NO.11




NO.6





NO.13



NO.8



NO.14



STB-30YL

Energy Class:	F
Capacity:	30 L(R:30,F:0)
Net Weight(kg):	19
Product Dimension(W×D×H)(mm):	470*485*464
40" HC Container	460

- Temperature zone(2~10 degrees)refrigerator
- Intelligent touch control
- USB charger and connection
- Wireless charging optional
- Multi-function zone with independent lock
- Tempered glass
- Low noise compressor cooling type
- Optional colors : white, black, blue, beige, pink and wooden etc.

STB-106YBF

Energy Class:	F
Capacity:	81L(R:68,F:13)
Net Weight(kg):	45
Product Dimension(W×D×H)(mm):	1050*575*455
40" HC Container	232

- Colorful electronic touch-to-appear control
- 4 high quality speakers
- Bluetooth 5.0 function
- 2*USB/1*type-c charge and connection
- Open storage room
- Tempered glass
- Recessed handle
- LED light
- Optional color: white, black, blue, beige, pink and wooden etc.





CA-SC600GW



Energy Class N/A
Cooling Type: Smart low frost
Temp. Range: 0~10 degrees
Capacity: 600L(R:600,F:0)
Net Weight(kg): 86
Product Dimension(W×D×H)(mm): 735×660×2140
40" HC Container 47



CA-SC350GW



Energy Class C
Cooling Type: Smart low frost
Temp. Range: 0~10 degrees
Capacity: 350L(R:350,F:0)
Net Weight(kg): 61
Product Dimension(W×D×H)(mm): 595×575×1945
40" HC Container 92



CB-SC300GWD



Energy Class B
Cooling Type: Smart low frost
Temp. Range: 0~10 degrees
Capacity: 300L(R:300,F:0)
Net Weight(kg): 58
Product Dimension(W×D×H)(mm): 595×570×1930
40" HC Container 92



CB-SC300GW



Energy Class B
Cooling Type: Smart low frost
Temp. Range: 0~10 degrees
Capacity: 300L(R:300,F:0)
Net Weight(kg): 54
Product Dimension(W×D×H)(mm): 595×570×1680
40" HC Container 92



G30



Capacity:	30L(R:30,F:0)
Net Weight(kg):	13
Product Dimension(W×D×H)(mm):	490*170*897
40" HC Container	480

- Semi-conductor cooling type
- Recessed handle
- Reversible door
- LED light
- With 1 lipstick shelf, 1 Storage rack, 2 drawers, 2 facial mask shelves
- Optional colors: white and black



BM 59

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

10/12
1200~1400

Efficiency:

A



Net Weight(kg):
10kg:73
12kg:76
Dimension(mm):
10kg:595*600*850
12kg:595*640*850
40" HC Container:

162
Motor Type:
DD Inverter Motor

BM 55

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

8/9/10/12
8kg:1200~1400
9/10/12kg:1400

Efficiency:

A-30%/A-20%/A-10%/A



Net Weight(kg):
BLDC-8(Slim)kg:57
9kg:63 10kg:73 12kg:76
DD-8/9kg:66
Dimension(mm):
8(Slim)kg:595*480*850
8/9/10kg:595*600*850
12kg:595*640*850
40" HC Container:
8(Slim)kg:226
8/9/10/12kg:162
Motor Type:
BLDC
DD Inverter Motor

BM 58

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

8/10/12
1400

Efficiency:

A



Net Weight(kg):
8kg: 66
10kg:73
12kg:76
Dimension(mm):
8kg/10kg: 595*600*850
12kg: 595*640*850
40" HC Container:

162
Motor Type:
DD Inverter Motor

BM 57

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

8/10/12
1400

Efficiency:

A



Net Weight(kg):
8kg:66
10kg:73
12kg:76
Dimension(mm):
8kg/10kg:595*600*850
12kg:595*640*850
40" HC Container:

162
Motor Type:
DD Inverter Motor

BM 61

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

8/9/10
1200~1400

Efficiency:

A



Net Weight(kg):
8/9kg:66
10kg:73
Dimension(mm):
595*600*850
40" HC Container:

162
Motor Type:
DD Inverter Motor

BM 56

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

8/10/12
1400

Efficiency:

A



Net Weight(kg):
8kg:66
10kg:73
12kg:76
Dimension(mm):
8kg/10kg:595*600*850
12kg: 595*640*850
40" HC Container:

162
Motor Type:
DD Inverter Motor

BM 62

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

8/9/10/12
1200~1400

Efficiency:

A



Net Weight(kg):
8/9kg:66
10kg:73
12kg:76
Dimension(mm):
8/9/10kg:595*600*850
12kg:595*640*850
40" HC Container:

162
Motor Type:
DD Inverter Motor

BM 54

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

6/7/8/9/10
6kg:1000
7/8/9/10kg:1200~1400
A-30%/A-20%/A-10%/A

Efficiency:

A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

BM 53

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

6/7/8/9/10
6kg:1000
7/8/9/10kg:1200~1400
A-30%/A-20%/A-10%/A

Efficiency:

A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

BM 52

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

6/7/8/9/10
6kg:1000
7/8/9/10kg:1200~1400

Efficiency:

A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

BM 77

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

10
10kg:1200

Efficiency:

A



Net Weight(kg):
10kg:66
Dimension(mm):
10kg:595*560*850
40" HC Container:

10kg:171
Motor Type:
DD Inverter Motor

Venus 99

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

10/12
1200

Efficiency:

A



Net Weight(kg):
10kg:66
12kg:69
Dimension(mm):
10kg:595*560*850
12kg:595*600*850
40" HC Container:
10kg:171
12kg:162
Motor Type:
DD Inverter Motor

Venus 92

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

10/12
1200

Efficiency:

A



Net Weight(kg):
10kg:65
12kg:68
Dimension(mm):
10kg:595*560*850
12kg:595*600*850
40" HC Container:
10kg:171
12kg:162
Motor Type:
DD Inverter Motor

Hyper 73

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

6/7/8/9/10
6kg:1000
7/8/9/10kg:1200~1400
A-30%/A-20%/A-10%/A

Efficiency:

A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

Hyper 75

Inverter

Front Loading

Washing Capacity(Kg):
Max Spin Speed(RPM):

6/7/8/9/10
6kg:1000
7/8/9/10kg:1200~1400
A-30%/A-20%/A-10%/A

Efficiency:

A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

Master 66
Inverter

Washing Capacity(Kg): 6/7/8/9
Max Spin Speed(RPM): 6kg:1000
7/8/9kg:1200~1400
Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52
7kg:53
8kg:57
9kg:63
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9kg:162
Motor Type:
BLDC

Master 67
Inverter

Washing Capacity(Kg): 6/7/8/9
Max Spin Speed(RPM): 6kg:1000
7kg:1200~1400 8/9kg:1400
Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52
7kg:53
8kg:58
9kg:63
Dimension(mm):
6kg:595*440*850
7kg:595*480*850
8kg:595*510*850
9kg:595*600*850
40" HC Container:
6/7kg:252
7kg:226
8kg:215
9kg:162
Motor Type:
BLDC

Master 65
Inverter

Washing Capacity(Kg): 6/7/8/9
Max Spin Speed(RPM): 6kg:1000
7/8/9kg:1200~1400
Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52
7kg:53
8kg:57
9kg:63
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9kg:162
Motor Type:
BLDC

Master 36
Inverter

Washing Capacity(Kg): 10
Max Spin Speed(RPM): 1200
Efficiency: A-30%



Net Weight(kg):
10kg:73/61
Dimension(mm):
595*600*850
595*560*850
40" HC Container:
162
171
Motor Type:
BLDC

Master 68
Inverter

Washing Capacity(Kg): 6/7/8
Max Spin Speed(RPM): 6kg:1000
7/8kg:1200~1400
Efficiency: A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
40" HC Container:
6/7kg:252
8kg:226
Motor Type:
BLDC

Master 69
Inverter

Washing Capacity(Kg): 6/7/8/9
Max Spin Speed(RPM): 6kg:1000
7/8/9kg:1200~1400
Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9kg:162
Motor Type:
BLDC

Master 70
Inverter

Washing Capacity(Kg): 6/7/8/9/10
Max Spin Speed(RPM): 6kg:1000
7/8/9/10kg:1200~1400
Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

Master 71
Inverter

Washing Capacity(Kg): 6/7/8/9/10
Max Spin Speed(RPM): 6kg:1000
7/8/9/10kg:1200~1400
Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

Master 72
Inverter

Washing Capacity(Kg): 6/7/8/9/10
Max Spin Speed(RPM): 6kg:1000
7/8/9/10kg:1200~1400
Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6kg:52 7kg:53
8kg:57 9kg:63
10kg:73
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
9/10kg:595*600*850
40" HC Container:
6/7kg:252
8kg:226
9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

Noble 80
Inverter

Washing Capacity(Kg): 7/8/9/10
Max Spin Speed(RPM): 7kg:1200
8/9/10kg:1400
Efficiency: A



Net Weight(kg):
7kg:63
8/9kg:66
10kg:73
Dimension(mm):
7kg:595*510*850
8/9/10kg:595*600*850
40" HC Container:
7kg:215
8/9/10kg:162
Motor Type:
DD Inverter Motor

Noble 47
Inverter

Washing Capacity(Kg): 7/8/9/10/12
Max Spin Speed(RPM): 7kg:1200
8/9/10/12kg:1400
Efficiency: A



Net Weight(kg):
7kg:63
8/9kg:66
10kg:73
12kg:76
Dimension(mm):
7kg:595*510*850
8/9/10kg:595*600*850
12kg:595*640*850
40" HC Container:
7kg:215
8/9/10/12kg:162
Motor Type:
DD Inverter Motor

Noble 46
Inverter

Washing Capacity(Kg): 8/9/10/12
Max Spin Speed(RPM): 1200~1400
Efficiency: A



Net Weight(kg):
8/9kg:66
10kg:68
12kg:76
Dimension(mm):
8/9kg:595*600*850
10/12kg:595*640*850
40" HC Container:
162
Motor Type:
DD Inverter Motor

Elite 16
Inverter

Washing Capacity(Kg): 6/8/9/10
Max Spin Speed(RPM): 6/8kg:1200
9/10kg:1400
Efficiency: A



Net Weight(kg):
6kg:58
8/9kg:66
10kg:68
Dimension(mm):
6kg:595*510*850
8/9kg:595*600*850
10kg:595*640*850
40" HC Container:
6kg:215
8/9/10kg:162
Motor Type:
DD Inverter Motor

Elite 19
Inverter

Washing Capacity(Kg): 6/7/8/9/10
Max Spin Speed(RPM): 6/7kg:1200
8/9/10kg:1400
Efficiency: A



Net Weight(kg):
6/7kg:58
8/9kg:66
10kg:68
Dimension(mm):
6/7kg:595*510*850
8/9kg:595*600*850
10kg:595*640*850
40" HC Container:
6/7kg:215
8/9/10kg:162
Motor Type:
DD Inverter Motor

Elite 42
Inverter

Washing Capacity(Kg): 6/8/9/10
Max Spin Speed(RPM): 6/8kg:1200
9/10kg:1400
Efficiency: A



Net Weight(kg):
6kg:58
8/9kg:66
10kg:68
Dimension(mm):
6kg:595*510*850
8/9kg:595*600*850
10kg:595*640*850
40" HC Container:
6kg:215
8/9/10kg:162
Motor Type:
DD Inverter Motor

Crystal 07
Inverter

Washing Capacity(Kg): 6/8/9/10/12
Max Spin Speed(RPM): 6/8kg:1200
8/9/10/12kg:1400
Efficiency: A



Net Weight(kg):
6kg:58
8/9kg:66
10kg:68
12kg:76
Dimension(mm):
6kg:595*510*850
8/9kg:595*600*850
10/12kg:595*640*850
40" HC Container:
6kg:215
8/9/10/12kg:162
Motor Type:
BLDC
DD Inverter Motor

Crystal 08
Inverter

Washing Capacity(Kg): 6/8/9/10/12
Max Spin Speed(RPM): 6/8kg:1200
8/9/10/12kg:1400
Efficiency: A



Net Weight(kg):
6kg:58
8/9kg:66
10kg:68
12kg:76
Dimension(mm):
6kg:595*510*850
8/9kg:595*600*850
10/12kg:595*640*850
40" HC Container:
6kg:215
8/9/10/12kg:162
Motor Type:
BLDC
DD Inverter Motor

Crystal 51
Inverter

Washing Capacity(Kg): 6/8/10
Max Spin Speed(RPM): 6/8kg:1200
8/10kg:1400
Efficiency: A



Net Weight(kg):
6kg:58
8kg:66
10kg:68
Dimension(mm):
6/8kg:595*510*850
8kg:595*600*850
10kg:595*640*850
40" HC Container:
6/8kg:215
8/10kg:162
Motor Type:
BLDC
DD Inverter Motor

Lux 11

Inverter

Front Loading

Washing Capacity(Kg): 6/7/8/9/10/12

Max Spin Speed(RPM): 1200~1400

Efficiency: A



Net Weight(kg):
BLDC- 8kg:56 9kg:63 10kg:68 12kg:76
DD- 6kg:58 8/9kg:66 10kg:68
Dimension(mm):
6/7kg:595*480*850
8kg:595*510*850
8/9kg:595*600*850
10/12kg:595*640*850
40" HC Container:
6/7kg:226 8kg:215 8/9/10/12kg:162
Motor Type:
BLDC
DD Inverter Motor

Lux 28

Inverter

Front Loading

Washing Capacity(Kg): 6/8/9/10

Max Spin Speed(RPM): 6/8kg:1200 8/9/10kg:1400

Efficiency: A



Net Weight(kg):
6kg:58 8/9kg:66 10kg:68
Dimension(mm):
6kg:595*510*850
8/9kg:595*600*850
10kg:595*640*850
40" HC Container:
6kg:215 8/9/10kg:162
Motor Type:
DD Inverter Motor

Lux 40

Inverter

Front Loading

Washing Capacity(Kg): 6/8/9/10/12

Max Spin Speed(RPM): 6/8kg:1200 8/9/10/12kg:1400

Efficiency: A



Net Weight(kg):
BLDC- 8/9kg:63 10kg:68 12kg:76
DD- 6kg:58 8/9kg:66 10kg:68
Dimension(mm):
6kg:595*510*850
8/9kg:595*600*850
10kg:595*640*850
12kg:595*640*850
40" HC Container:
6kg:215 8kg:180 8/9/10/12kg:162
Motor Type:
BLDC
DD Inverter Motor

Lux 30

Inverter

Front Loading

Washing Capacity(Kg): 6/8/9/10

Max Spin Speed(RPM): 6/8kg:1200 8/9/10kg:1400

Efficiency: A



Net Weight(kg):
BLDC- 8kg:56/58 9kg:63 10kg:68
DD- 6kg:58 8/9kg:66 10kg:68
Dimension(mm):
6kg:595*510*850
8kg:595*510*850
8/9kg:595*600*850
10kg:595*640*850
40" HC Container:
6kg:215 8kg:180 8/9/10kg:162
Motor Type:
BLDC
DD Inverter Motor

Lux 39

Inverter

Front Loading

Washing Capacity(Kg): 6/8/9/10

Max Spin Speed(RPM): 6kg:1200 8/9/10kg:1400

Efficiency: A



Net Weight(kg):
6kg:58 8/9kg:66 10kg:68
Dimension(mm):
6kg:595*510*850
8/9kg:595*600*850
10kg:595*640*850
40" HC Container:
6kg:215 8/9/10kg:162
Motor Type:
DD Inverter Motor

Gemini Series

Gemini Series



Washing Capacity(Kg): 15
Max Spin Speed(RPM): 7
Efficiency: A
Net Weight(kg): 133
Dimension(mm): 600*605*1400
40" HC Container: 45
Motor Type: DD Inverter Motor

Mars 49

Front Loading

Washing Capacity(Kg): 6/7/8

Max Spin Speed(RPM): 6kg:1000 7/8kg:1200~1400

Efficiency: A-20%/A-10%/A



Net Weight(kg):
6kg:52 7/8kg:53
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
40" HC Container:
6/7kg:252 8kg:226
Motor Type:
BLDC

Mars 48

Front Loading

Washing Capacity(Kg): 6/7/8

Max Spin Speed(RPM): 6kg:1000 7/8kg:1200~1400

Efficiency: A-20%/A-10%/A



Net Weight(kg):
6kg:52 7/8kg:53
Dimension(mm):
6/7kg:595*440*850
8kg:595*480*850
40" HC Container:
6/7kg:252 8kg:226
Motor Type:
BLDC

Mars 22

Front Loading

Washing Capacity(Kg): 6/7/8/9/10

Max Spin Speed(RPM): 6kg:1000~1200 7/8/9/10kg:1200~1400

Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6g:52 /53/58 7kg:53/56/59/60 8kg:56/57/58/59/62/63/66 9kg:58/63/66 10kg:62/73
Dimension(mm):
6kg:595*440(480)*850 7kg:595*480(440/510)*850 8kg:595*510(480/600)*850 9kg:595*600*850 10kg:595*600(560)*850 40" HC Container:
6kg:252(226) 7kg:215(226/252) 8kg:215(226/162) 9kg:162 10kg:162(171)
Motor Type:
BLDC
DD Inverter Motor

Mars 15

Front Loading

Washing Capacity(Kg): 6/7/8/9/10

Max Spin Speed(RPM): 6kg:1000~1200 7/8/9/10kg:1200~1400

Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6g:52 /53/58 7kg:53/56/59/60 8kg:56/57/58/59/62/63/66 9kg:58/63/66 10kg:62/73
Dimension(mm):
6kg:595*440(480)*850 7kg:595*480(440/510)*850 8kg:595*510(480/600)*850 9kg:595*600*850 10kg:595*600(560)*850 40" HC Container:
6kg:252(226) 7kg:215(226/252) 8kg:215(226/162) 9kg:162 10kg:162(171)
Motor Type:
BLDC
DD Inverter Motor

Mars 09

Front Loading

Washing Capacity(Kg): 6/7/8/9/10

Max Spin Speed(RPM): 6kg:1000~1200 7/8/9/10kg:1200~1400

Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6g:52 /53/58 7kg:53/56/59/60 8kg:56/57/58/59/62/63/66 9kg:58/63/66 10kg:62/73
Dimension(mm):
6kg:595*440(480)*850 7kg:595*480(440/510)*850 8kg:595*510(480/600)*850 9kg:595*600*850 10kg:595*600(560)*850 40" HC Container:
6kg:252(226) 7kg:215(226/252) 8kg:215(226/162) 9kg:162 10kg:162(171)
Motor Type:
BLDC
DD Inverter Motor

Mars 18

Front Loading

Washing Capacity(Kg): 6/7/8

Max Spin Speed(RPM): 6kg:1000 7/8kg:1200~1400

Efficiency: A-20%/A-10%/A



Net Weight(kg):
6kg:52 7/8kg:53
Dimension(mm):
6/7kg:595*440*850 8kg:595*480*850
40" HC Container:
6/7kg:252 8kg:226
Motor Type:
BLDC

Mars 33

Front Loading

Washing Capacity(Kg): 6/7/8/9/10

Max Spin Speed(RPM): 6kg:1000~1200 7/8/9/10kg:1200~1400

Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6g:52 /53/58 7kg:53/56/59/60 8kg:56/57/58/59/62/63/66 9kg:58/63/66 10kg:62/73
Dimension(mm):
6kg:595*440(480)*850 7kg:595*480(440/510)*850 8kg:595*510(480/600)*850 9kg:595*600*850 10kg:595*600(560)*850 40" HC Container:
6kg:252(226) 7kg:215(226/252) 8kg:215(226/162) 9kg:162 10kg:162(171)
Motor Type:
BLDC
DD Inverter Motor

Mars 31

Front Loading

Washing Capacity(Kg): 6/7/8/9/10

Max Spin Speed(RPM): 6kg:1000~1200 7/8/9/10kg:1200~1400

Efficiency: A-30%/A-20%/A-10%/A



Net Weight(kg):
6g:52 /53/58 7kg:53/56/59/60 8kg:56/57/58/59/62/63/66 9kg:58/63/66 10kg:62/73
Dimension(mm):
6kg:595*440(480)*850 7kg:595*480(440/510)*850 8kg:595*510(480/600)*850 9kg:595*600*850 10kg:595*600(560)*850 40" HC Container:
6kg:252(226) 7kg:215(226/252) 8kg:215(226/162) 9kg:162 10kg:162(171)
Motor Type:
BLDC
DD Inverter Motor

BM 59 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg 12/8kg
Max Spin Speed(RPM): 10kg:1400 12kg:1200

Efficiency: A



Net Weight(kg):
10kg:73
12kg:76
Dimension(mm):
10kg:595*600*850
12kg:595*640*850
40" HC Container:
162

Motor Type:
DD Inverter Motor

BM 62 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg 12/8kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
10/7kg:73
12/8kg:76
Dimension(mm):
10/7kg:595*600*850
12/8kg:595*640*850
40" HC Container:
162

Motor Type:
BLDC
DD Inverter Motor

BM 63 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
73
Dimension(mm):
595*600*850
40" HC Container:
162

Motor Type:
BLDC

BM 61 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg 12/8kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
10kg:73
12kg:65
Dimension(mm):
595*600*850

40" HC Container:
162

Motor Type:
BLDC
DD Inverter Motor

BM 58 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg
Max Spin Speed(RPM): 1400

Efficiency: A



Net Weight(kg):
73
Dimension(mm):
595*600*850

40" HC Container:
162

Motor Type:
DD Inverter Motor

Noble 46 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg 12/8kg
Max Spin Speed(RPM): 1400

Efficiency: A



Net Weight(kg):
10kg:68 12kg:76
Dimension(mm):
595*640*850

40" HC Container:
162

Motor Type:
DD Inverter Motor

Elite 16 Washer Dryer
Inverter

Washing Capacity(Kg): 10/6kg
Max Spin Speed(RPM): 1400

Efficiency: A



Net Weight(kg):
68
Dimension(mm):
595*640*850
40" HC Container:
162

Motor Type:
DD Inverter Motor

Elite 19 Washer Dryer
Inverter

Washing Capacity(Kg): 10/6kg
Max Spin Speed(RPM): 1400

Efficiency: A



Net Weight(kg):
68
Dimension(mm):
595*640*850
40" HC Container:
162

Motor Type:
DD Inverter Motor

Elite 42 Washer Dryer
Inverter

Washing Capacity(Kg): 10/6kg
Max Spin Speed(RPM): 1400

Efficiency: A



Net Weight(kg):
68
Dimension(mm):
595*640*850
40" HC Container:
162

Motor Type:
DD Inverter Motor

Lux 11 Washer Dryer
Inverter

Washing Capacity(Kg): 10/6kg
Max Spin Speed(RPM): 1400

Efficiency: A



Net Weight(kg):
68
Dimension(mm):
595*640*850
40" HC Container:
162

Motor Type:
DD Inverter Motor

Lux 28 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg
Max Spin Speed(RPM): 1400

Efficiency: A



Net Weight(kg):
68
Dimension(mm):
595*600*850
40" HC Container:
162

Motor Type:
DD Inverter Motor

Lux 30 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
68
Dimension(mm):
595*600*850
40" HC Container:
162

Motor Type:
DD Inverter Motor

Mars 15 Washer Dryer
Inverter

Washing Capacity(Kg): 8/5kg 9/6kg 10/7kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
8kg:61 9kg:63 10kg:68
Dimension(mm):
8/9kg:595*600*850
10kg:595*600*850
595*560*850
40" HC Container:
8/9/10kg:162
10kg:171
Motor Type:
BLDC
DD Inverter Motor

Mars 33 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
62
Dimension(mm):
10kg:595*600*850
595*560*850
40" HC Container:
162/171
Motor Type:
BLDC
DD Inverter Motor

Master 36 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
61/73
Dimension(mm):
595*600(560)*850
40" HC Container:
162/171
Motor Type:
BLDC

Master 67 Washer Dryer
Inverter

Washing Capacity(Kg): 10/7kg
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
73
Dimension(mm):
595*600*850
40" HC Container:
162
Motor Type:
BLDC



Venus 99
Inverter

Washer Dryer

Washing Capacity(Kg): 10/12
Max Spin Speed(RPM): 1200

Efficiency: A



Venus 92
Inverter

Washer Dryer

Washing Capacity(Kg): 10/12
Max Spin Speed(RPM): 1200

Efficiency: A



Net Weight(kg):
10kg:66
12kg:69
Dimension(mm):
10kg:595*560*850
12kg:595*600*850
40" HC Container:
10kg:171
12kg:162
Motor Type:
DD Inverter Motor

Net Weight(kg):
10kg:65
12kg:68
Dimension(mm):
10kg:595*560*850
12kg:595*600*850
40" HC Container:
10kg:171
12kg:162
Motor Type:
DD Inverter Motor

BM 59
Heat Pump



Capacity Range(Kg):
10
Efficiency:
A++
Net Weight(kg):
52
Dimension(mm):
595*670*850
40" HC Container:
153
Motor Type:
Uni

BM 62
Heat Pump



Capacity Range(Kg):
10
Efficiency:
A++
Net Weight(kg):
52
Dimension(mm):
595*670*850
40" HC Container:
153
Motor Type:
Uni

Noble 46
Heat Pump



Capacity Range(Kg):
9/10
Efficiency:
A++/E
Net Weight(kg):
52
Dimension(mm):
595*670*850
40" HC Container:
153
Motor Type:
Uni

BM 53
Heat Pump



Capacity Range(Kg):
9/10
Efficiency:
A++/E
Net Weight(kg):
52
Dimension(mm):
595*670*850
40" HC Container:
153
Motor Type:
Uni

BM 61
Heat Pump



Capacity Range(Kg):
10
Efficiency:
A++
Net Weight(kg):
52
Dimension(mm):
595*670*850
40" HC Container:
153
Motor Type:
Uni

Mini Series

Mini Series



FM1D01BD



Front Loading
Max Washing Capacity(Kg): 1
Net Weight(kg): 19.5
Dimension(mm): 315*425*450
40" HC Container: 400
Certification: CB



FM1D02BD



Front Loading
Max Washing Capacity(Kg): 1
Net Weight(kg): 22.5
Dimension(mm): 353*504*490
40" HC Container: 336
Certification: CB



TM1E01NJ

Top Loading
Max Washing Capacity(Kg): 1
Net Weight(kg): 13
Dimension(mm): 398*398*363
40" HC Container: 600
Certification: CB



TM3Q05NJ



Top Loading
Max Washing Capacity(Kg): 3
Net Weight(kg): 20
Dimension(mm): 410*430*700
40" HC Container: 288
Certification: CB



TM3Q01NJ



Top Loading
Max Washing Capacity(Kg): 3
Net Weight(kg): 20
Dimension(mm): 410*430*720
40" HC Container: 288
Certification: CB

T18
Top Loading

Washing Capacity(Kg): 18



Net Weight(kg): 58
Dimension(mm): 630*655*1035
40' HC Container: 102
Certification: CB

T29
Top Loading

Washing Capacity(Kg): 10



Net Weight(kg): 41
Dimension(mm): 590*610*966
40' HC Container: 108
Certification: /

T23
Top Loading

Washing Capacity(Kg): 10



Net Weight(kg): 41
Dimension(mm): 590*610*966
40' HC Container: 108
Certification: /

T17
Top Loading

Washing Capacity(Kg): 18



Net Weight(kg): 58
Dimension(mm): 630*655*1035
40' HC Container: 102
Certification: CB

T22
Top Loading

Washing Capacity(Kg): 10/12



Net Weight(kg): 44
Dimension(mm): 590*610*986
40' HC Container: 108
Certification: CB

T13
Top Loading

Washing Capacity(Kg): 10/13



Net Weight(kg): 41
Dimension(mm): 590*610*966
40' HC Container: 108
Certification: CB

T07
Top Loading

Washing Capacity(Kg): 9



Net Weight(kg): 36
Dimension(mm): 9kg:550*560*960
40' HC Container: 114
Certification: CB

T16
Top Loading

Washing Capacity(Kg): 8/9



Net Weight(kg): 8kg:32 9kg:35
Dimension(mm): 8kg:550*560*930 9kg:550*560*970
40' HC Container: 8kg:152 9kg:114
Certification: CB

T56
Top Loading

Washing Capacity(Kg): 10



Net Weight(kg): 33
Dimension(mm): 550*560*970
40' HC Container: 108
Certification: /

T58
Top Loading

Washing Capacity(Kg): 10



Net Weight(kg): 36
Dimension(mm): 550*560*960
40' HC Container: 108
Certification: /

T57
Top Loading

Washing Capacity(Kg): 10



Net Weight(kg): 33
Dimension(mm): 610*630*970
40' HC Container: 108
Certification: /

T55
Top Loading

Washing Capacity(Kg): 10



Net Weight(kg): 35
Dimension(mm): 580*590*970
40' HC Container: 108
Certification: /

T03
Top Loading

Washing Capacity(Kg): 7/8



Net Weight(kg): 30
Dimension(mm): 520*530*850
40' HC Container: 239
Certification: CB

T24
Top Loading

Washing Capacity(Kg): 6/7



Net Weight(kg): 6kg:23 7kg:24
Dimension(mm): 6kg:505*530*850 7kg:505*530*885
40' HC Container: 6kg:210 7kg:208
Certification: CB

T25
Top Loading

Washing Capacity(Kg): 7/8/9



Net Weight(kg): 7/8kg:30 9kg:28
Dimension(mm): 7/8kg:520*530*850 9kg:520*530*925
40' HC Container: 7/8kg:239 9kg:160
Certification: CB



T26
Top Loading

Washing Capacity(Kg): 7/8/9



Net Weight(kg): 7/8kg:30 9kg:29
Dimension(mm): 7/8kg:520*530*850 9kg:520*530*925
40' HC Container: 7/8kg:239 9kg:160
Certification: CB

T27
Top Loading

Washing Capacity(Kg): 6/7



Net Weight(kg): 30
Dimension(mm): 520*530*922
40' HC Container: 152
Certification: CB/PSE

T28
Top Loading

Washing Capacity(Kg): 6/7



Net Weight(kg): 30
Dimension(mm): 520*530*850
40' HC Container: 239
Certification: CB/PSE





D20

Structure: 45cm Built-in

Energy Class: E

Program Number: 8

Place Set: 9/10 sets

Controller Location: Top

Layer of Basket: 3

Dimension(mm): 448*598*845

40'GP/40' HC Container: 150/220



D21

Structure: 60cm Built-in

Energy Class: D/E

Program Number: 8

Place Set: 13 sets

Controller Location: Top

Layer of Basket: 3

Dimension(mm): 598*598*845

40'GP/40' HC Container: 108/162



D01 

Structure: 60cm Freestanding/Semi built-in

Energy Class: D/E

Program Number: 8

Place Set: 13/14/15 sets

Controller Location: Front

Layer of Basket: 13/14 sets:2 15 sets:3

Dimension(mm): 598*598*845

40'GP/40' HC Container: 108/162



D02 

Structure: 60cm Freestanding/Semi built-in

Energy Class: D/E

Program Number: 8

Place Set: 13/14/15 sets

Controller Location: Front

Layer of Basket: 13/14 sets:2 15 sets:3

Dimension(mm): 598*598*845

40'GP/40' HC Container: 108/162



D03 Inverter 


Structure: 60cm Freestanding/Semi built-in

Energy Class: B/D

Program Number: 8

Place Set: 15 sets

Controller Location: Front

Layer of Basket: 3

Dimension(mm): 598*598*845

40'GP/40' HC Container: 108/162



D05 


Structure: 60cm Freestanding/Semi built-in

Energy Class: E

Program Number: 8

Place Set: 13/14 sets

Controller Location: Front

Layer of Basket: 2

Dimension(mm): 598*598*845

40'GP/40' HC Container: 108/162



D06 Inverter 


Structure: 60cm Freestanding/Semi built-in

Energy Class: B/D

Program Number: 8

Place Set: 15 sets

Controller Location: Front

Layer of Basket: 3

Dimension(mm): 598*598*845

40'GP/40' HC Container: 108/162



D07 Inverter 


Structure: 60cm Freestanding/Semi built-in

Energy Class: B/D

Program Number: 8

Place Set: 15 sets

Controller Location: Front

Layer of Basket: 3

Dimension(mm): 598*598*845

40'GP/40' HC Container: 108/162